

ILCOR Scientific Knowledge Gaps and Clinical Research Priorities for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care: A Consensus Statement

[Monica E. Kleinman](#)

,

[Gavin D. Perkins](#)

,

[Farhan Bhanji](#)

,

[John E. Billi](#)

,

[Janet E. Bray](#)

,

[Clifton W. Callaway](#)

,

[Allan de Caen](#)

,

[Judith C. Finn](#)

,

[Mary Fran Hazinski](#)

,

[Swee Han Lim](#)

,

[Ian Maconochie](#)

,

[Peter Morley](#)

,

[Vinay Nadkarni](#)

,

[Robert W. Neumar](#)

,

[Nikolaos Nikolaou](#)

,

[Jerry P. Nolan](#)

,

[Amelia Reis](#)

,

[Alfredo F. Sierra](#)

,

[Eunice M. Singletary](#)

,

[Jasmeet Soar](#)

,
[David Stanton](#)

,
[Andrew Travers](#)

,
[Michelle Welsford](#)

, and
[David Zideman](#)

Originally published 26 Apr 2018 *Circulation*. 2018;137:e802–e819

Abstract

Despite significant advances in the field of resuscitation science, important knowledge gaps persist. Current guidelines for resuscitation are based on the International Liaison Committee on Resuscitation 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations, which includes treatment recommendations supported by the available evidence. The writing group developed this consensus statement with the goal of focusing future research by addressing the knowledge gaps identified during and after the 2015 International Liaison Committee on Resuscitation evidence evaluation process. Key publications since the 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations are referenced, along with known ongoing clinical trials that are likely to affect future guidelines.

Footnotes

<http://circ.ahajournals.org>

The American Heart Association makes every effort to avoid any actual or potential conflicts of interest that may arise as a result of an outside relationship or a personal, professional, or business interest of a member of the writing panel. Specifically, all members of the writing group are required to complete and submit a Disclosure Questionnaire showing all such relationships that might be perceived as real or potential conflicts of interest.

This statement was approved by the American Heart Association Science Advisory and Coordinating Committee on November 9, 2017, and the American Heart Association Executive Committee on December 11, 2017.

The American Heart Association requests that this document be cited as follows: Kleinman ME, Perkins GD, Bhanji F, Billi JE, Bray JE, Callaway CW, de Caen A, Finn JC, Hazinski MF, Lim SH, Maconochie I, Morley P, Nadkarni V, Neumar RW, Nikolaou N, Nolan JP, Reis A, Sierra AF, Singletary EM, Soar J, Stanton D, Travers A, Welsford M, Zideman D. ILCOR scientific knowledge gaps and clinical research priorities for cardiopulmonary resuscitation and emergency cardiovascular care: a consensus statement. *Circulation*. 2018;137:e802–e819. DOI: 10.1161/CIR.0000000000000561.

This statement has been copublished in *Resuscitation*.

Copies: This document is available on the websites of the American Heart Association (professional.heart.org) and the European Resuscitation Council. A copy of the document is available at <http://professional.heart.org/statements> by using either “Search for Guidelines & Statements” or the “Browse by Topic” area. To purchase additional reprints, call 843-216-2533 or e-mail kelle.ramsay@wolterskluwer.com.

Expert peer review of AHA Scientific Statements is conducted by the AHA Office of Science Operations. For more on AHA statements and guidelines development, visit <http://professional.heart.org/statements>. Select the “Guidelines & Statements” drop-down menu, then click “Publication Development.”

Permissions: Multiple copies, modification, alteration, enhancement, and/or distribution of this document are not permitted without the express permission of the American Heart Association. Instructions for obtaining permission are located at http://www.heart.org/HEARTORG/General/Copyright-Permission-Guidelines_UCM_300404_Article.jsp. A link to the “Copyright Permissions Request Form” appears on the right side of the page.

References

- [1.](#) O’Connor D, Higgins JPT, Green S. Defining the review questions and developing criteria for including studies. **In: Cochrane Handbook for Systematic Reviews of Interventions**. Version 5.1.0. The Cochrane Collaboration. 2011. <http://www.handbook.cochrane.org/>. Accessed April 21, 2017. [Google Scholar](#)
- [2.](#) International Liaison Committee on Resuscitation (ILCOR). ILCOR scientific evidence evaluation and review system. American Heart Association, American Stroke Association SharePoint website. <https://volunteer.heart.org/apps/pico/Pages/default.aspx>. Accessed April 21, 2017. [Google Scholar](#)
- [3.](#) Schünemann H, Brożek J, Guyatt G, Oxman A, eds. **GRADE Handbook**. 2013. <http://www.guidelinedevelopment.org/handbook/>. Accessed April 21, 2017. [Google Scholar](#)
- [4.](#) GRADEpro guideline development tool. GRADEpro GDT website. <http://www.guidelinedevelopment.org/>. Accessed April 21, 2017. [Google Scholar](#)
- [5.](#) Morley PT, Lang E, Aickin R, Billi JE, Eigel B, Ferrer JM, Finn JC, Gent LM, Griffin RE, Hazinski MF, Maconochie IK, Montgomery WH, Morrison LJ, Nadkarni VM, Nikolaou NI, Nolan JP, Perkins GD, Sayre MR, Travers AH, Wyllie J, Zideman DA. Part 2: evidence evaluation and management of conflicts of interest: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Circulation**. 2015;132(suppl 1):S40–S50. doi: 10.1161/CIR.0000000000000271. [Google Scholar](#)
- [6.](#) Morley PT, Lang E, Aickin R, Billi JE, Eigel B, Ferrer JM, Finn JC, Gent LM, Griffin RE, Hazinski MF, Maconochie IK, Montgomery WH, Morrison LJ, Nadkarni VM, Nikolaou NI, Nolan JP, Perkins GD, Sayre MR, Travers AH, Wyllie J, Zideman DA. Part 2: evidence evaluation and management of conflicts of interest: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Resuscitation**. 2015;95:e33–e41. doi: 10.1016/j.resuscitation.2015.07.040. [Google Scholar](#)

- [7.](#) Chronic diseases and health promotion: global status report on NCDs. World Health Organization website. http://www.who.int/chp/ncd_global_status_report/en/. Accessed April 24, 2017. [Google Scholar](#)
- [8.](#) Gräsner JT, Lefering R, Koster RW, Masterson S, Böttiger BW, Herlitz J, Wnent J, Tjelmeland IB, Ortiz FR, Maurer H, Baubin M, Mols P, Hadžibegović I, Ioannides M, Škulec R, Wissenberg M, Salo A, Hubert H, Nikolaou NI, Lóczi G, Svavarsdóttir H, Semeraro F, Wright PJ, Clarens C, Pijls R, Cebula G, Correia VG, Cimpoesu D, Raffay V, Trenkler S, Markota A, Strömsöe A, Burkart R, Perkins GD, Bossaert LL; EuReCa ONE Collaborators. EuReCa ONE-27 Nations, ONE Europe, ONE Registry: a prospective one month analysis of out-of-hospital cardiac arrest outcomes in 27 countries in Europe. **Resuscitation**. 2016;105:188–195. doi: 10.1016/j.resuscitation.2016.06.004. [Google Scholar](#)
- [9.](#) Berdowski J, Berg RA, Tijssen JG, Koster RW. Global incidences of out-of-hospital cardiac arrest and survival rates: systematic review of 67 prospective studies. **Resuscitation**. 2010;81:1479–1487. doi: 10.1016/j.resuscitation.2010.08.006. [Google Scholar](#)
- [10.](#) Benjamin EJ, Blaha MJ, Chiuve SE, Cushman M, Das SR, Deo R, de Ferranti SD, Floyd J, Fornage M, Gillespie C, Isasi CR, Jiménez MC, Jordan LC, Judd SE, Lackland D, Lichtman JH, Lisabeth L, Liu S, Longenecker CT, Mackey RH, Matsushita K, Mozaffarian D, Mussolino ME, Nasir K, Neumar RW, Palaniappan L, Pandey DK, Thiagarajan RR, Reeves MJ, Ritchey M, Rodriguez CJ, Roth GA, Rosamond WD, Sasson C, Towfighi A, Tsao CW, Turner MB, Virani SS, Voeks JH, Willey JZ, Wilkins JT, Wu JH, Alger HM, Wong SS, Muntner P; on behalf of the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics–2017 update: a report from the American Heart Association. **Circulation**. 2017;135:e146–e603. doi: 10.1161/CIR.0000000000000485. [Google Scholar](#)
- [11.](#) Daya MR, Schmicker RH, Zive DM, Rea TD, Nichol G, Buick JE, Brooks S, Christenson J, MacPhee R, Craig A, Rittenberger JC, Davis DP, May S, Wigginton J, Wang H; Resuscitation Outcomes Consortium Investigators. Out-of-hospital cardiac arrest survival improving over time: results from the Resuscitation Outcomes Consortium (ROC). **Resuscitation**. 2015;91:108–115. doi: 10.1016/j.resuscitation.2015.02.003. [Google Scholar](#)
- [12.](#) Stecker EC, Reinier K, Marijon E, Narayanan K, Teodorescu C, Uy-Evanado A, Gunson K, Jui J, Chugh SS. Public health burden of sudden cardiac death in the United States. **Circ Arrhythm Electrophysiol**. 2014;7:212–217. doi: 10.1161/CIRCEP.113.001034. [Google Scholar](#)
- [13.](#) Hawkes C, Booth S, Ji C, Brace-McDonnell SJ, Whittington A, Mapstone J, Cooke MW, Deakin CD, Gale CP, Fothergill R, Nolan JP, Rees N, Soar J, Siriwardena AN, Brown TP, Perkins GD; OHCAO Collaborators. Epidemiology and outcomes from out-of-hospital cardiac arrests in England. **Resuscitation**. 2017;110:133–140. doi: 10.1016/j.resuscitation.2016.10.030. [Google Scholar](#)
- [14.](#) Kitamura T, Iwami T, Kawamura T, Nitta M, Nagao K, Nonogi H, Yonemoto N, Kimura T; for the Japanese Circulation Society Resuscitation Science Study Group. Nationwide improvements in survival from out-of-hospital cardiac arrest in Japan. **Circulation**. 2012;126:2834–2843. doi: 10.1161/CIRCULATIONAHA.112.109496. [Google Scholar](#)
- [15.](#) Merchant RM, Yang L, Becker LB, Berg RA, Nadkarni V, Nichol G, Carr BG, Mitra N, Bradley SM, Abella BS, Groeneveld PW; American Heart Association National Registry of Cardiopulmonary Resuscitation Investigators. Incidence of

treated cardiac arrest in hospitalized patients in the United States. **Crit Care Med.** 2011;39:2401–2406. doi: 10.1097/CCM.0b013e3182257459. [Google Scholar](#)

- [16.](#) Nolan JP, Soar J, Smith GB, Gwinnutt C, Parrott F, Power S, Harrison DA, Nixon E, Rowan K; National Cardiac Arrest Audit. Incidence and outcome of in-hospital cardiac arrest in the United Kingdom National Cardiac Arrest Audit. **Resuscitation.** 2014;85:987–992. doi: 10.1016/j.resuscitation.2014.04.002. [Google Scholar](#)
- [17.](#) Nichol G, Cobb LA, Yin L, Maynard C, Olsufka M, Larsen J, McCoy AM, Sayre MR. Briefer activation time is associated with better outcomes after out-of-hospital cardiac arrest. **Resuscitation.** 2016;107:139–144. doi: 10.1016/j.resuscitation.2016.06.040. [Google Scholar](#)
- [18.](#) Berdowski J, Beekhuis F, Zwinderman AH, Tijssen JG, Koster RW. Importance of the first link: description and recognition of an out-of-hospital cardiac arrest in an emergency call. **Circulation.** 2009;119:2096–2102. doi: 10.1161/CIRCULATIONAHA.108.768325. [Google Scholar](#)
- [19.](#) Sasson C, Rogers MA, Dahl J, Kellermann AL. Predictors of survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis. **Circ Cardiovasc Qual Outcomes.** 2010;3:63–81. doi: 10.1161/CIRCOUTCOMES.109.889576. [Google Scholar](#)
- [20.](#) Rajan S, Wissenberg M, Folke F, Hansen SM, Gerds TA, Kragholm K, Hansen CM, Karlsson L, Lippert FK, Køber L, Gislason GH, Torp-Pedersen C. Association of bystander cardiopulmonary resuscitation and survival according to ambulance response times after out-of-hospital cardiac arrest. **Circulation.** 2016;134:2095–2104. doi: 10.1161/CIRCULATIONAHA.116.024400. [Google Scholar](#)
- [21.](#) Girotra S, van Diepen S, Nallamothu BK, Carrel M, Vellano K, Anderson ML, McNally B, Abella BS, Sasson C, Chan PS; in collaboration with CARES Surveillance Group and the HeartRescue Project. Regional variation in out-of-hospital cardiac arrest survival in the United States. **Circulation.** 2016;133:2159–2168. doi: 10.1161/CIRCULATIONAHA.115.018175. [Google Scholar](#)
- [22.](#) Hansen CM, Kragholm K, Granger CB, Pearson DA, Tyson C, Monk L, Corbett C, Nelson RD, Dupre ME, Fosbøl EL, Strauss B, Fordyce CB, McNally B, Jollis JG. The role of bystanders, first responders, and emergency medical service providers in timely defibrillation and related outcomes after out-of-hospital cardiac arrest: results from a statewide registry. **Resuscitation.** 2015;96:303–309. doi: 10.1016/j.resuscitation.2015.09.002. [Google Scholar](#)
- [23.](#) Kitamura T, Kiyohara K, Sakai T, Matsuyama T, Hatakeyama T, Shimamoto T, Izawa J, Fujii T, Nishiyama C, Kawamura T, Iwami T. Public-access defibrillation and out-of-hospital cardiac arrest in Japan. **N Engl J Med.** 2016;375:1649–1659. doi: 10.1056/NEJMSa1600011. [Google Scholar](#)
- [24.](#) Zijlstra JA, Stieglis R, Riedijk F, Smeekes M, van der Worp WE, Koster RW. Local lay rescuers with AEDs, alerted by text messages, contribute to early defibrillation in a Dutch out-of-hospital cardiac arrest dispatch system. **Resuscitation.** 2014;85:1444–1449. doi: 10.1016/j.resuscitation.2014.07.020. [Google Scholar](#)
- [25.](#) Malta Hansen C, Kragholm K, Pearson DA, Tyson C, Monk L, Myers B, Nelson D, Dupre ME, Fosbol EL, Jollis JG, Strauss B, Anderson ML, McNally B, Granger CB. Association of bystander and first-responder intervention with survival after out-of-hospital cardiac arrest in North Carolina, 2010–2013. **JAMA.** 2015;314:255–264. doi: 10.1001/jama.2015.7938. [Google Scholar](#)
- [26.](#) Perkins GD, Travers AH, Berg RA, Castren M, Considine J, Escalante R, Gazmuri RJ, Koster RW, Lim SH, Nation KJ, Olasveengen TM, Sakamoto T, Sayre MR, Sierra A, Smyth MA, Stanton D, Vaillancourt C; on behalf of the Basic Life Support Chapter

Collaborators. Part 3: adult basic life support and automated external defibrillation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Resuscitation**. 2015;95:e43–e69. doi: 10.1016/j.resuscitation.2015.07.041. [Google Scholar](#)

- [27.](#) Travers AH, Perkins GD, Berg RA, Castren M, Considine J, Escalante R, Gazmuri RJ, Koster RW, Lim SH, Nation KJ, Olasveengen TM, Sakamoto T, Sayre MR, Sierra A, Smyth MA, Stanton D, Vaillancourt C; on behalf of the Basic Life Support Chapter Collaborators. Part 3: adult basic life support and automated external defibrillation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Circulation**. 2015;132(suppl 1):S51–S83. doi: 10.1161/CIR.0000000000000272. [Google Scholar](#)
- [28.](#) Zhan L, Yang LJ, Huang Y, He Q, Liu GJ. Continuous chest compression versus interrupted chest compression for cardiopulmonary resuscitation of non-asphyxial out-of-hospital cardiac arrest. **Cochrane Database Syst Rev**. 2017;3:CD010134. doi: 10.1002/14651858.CD010134.pub2. [Google Scholar](#)
- [29.](#) Ringh M, Rosenqvist M, Hollenberg J, Jonsson M, Fredman D, Nordberg P, Järnbert-Pettersson H, Hasselqvist-Ax I, Riva G, Svensson L. Mobile-phone dispatch of laypersons for CPR in out-of-hospital cardiac arrest. **N Engl J Med**. 2015;372:2316–2325. doi: 10.1056/NEJMoa1406038. [Google Scholar](#)
- [30.](#) Rumsfeld JS, Brooks SC, Aufderheide TP, Leary M, Bradley SM, Nkonde-Price C, Schwamm LH, Jessup M, Ferrer JM, Merchant RM; on behalf of the American Heart Association Emergency Cardiovascular Care Committee; Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation; Council on Quality of Care and Outcomes Research; Council on Cardiovascular and Stroke Nursing; and Council on Epidemiology and Prevention. Use of mobile devices, social media, and crowdsourcing as digital strategies to improve emergency cardiovascular care: a scientific statement from the American Heart Association. **Circulation**. 2016;134:e87–e108. doi: 10.1161/CIR.0000000000000428. [Google Scholar](#)
- [31.](#) Field RA, Soar J, Davies RP, Akhtar N, Perkins GD. The impact of chest compression rates on quality of chest compressions: a manikin study. **Resuscitation**. 2012;83:360–364. doi: 10.1016/j.resuscitation.2011.07.012. [Google Scholar](#)
- [32.](#) Yeung J, Meeks R, Edelson D, Gao F, Soar J, Perkins GD. The use of CPR feedback/prompt devices during training and CPR performance: a systematic review. **Resuscitation**. 2009;80:743–751. doi: 10.1016/j.resuscitation.2009.04.012. [Google Scholar](#)
- [33.](#) Sutton RM, French B, Meaney PA, Topjian AA, Parshuram CS, Edelson DP, Schexnayder S, Abella BS, Merchant RM, Bembea M, Berg RA, Nadkarni VM; American Heart Association’s Get With The Guidelines–Resuscitation Investigators. Physiologic monitoring of CPR quality during adult cardiac arrest: a propensity-matched cohort study. **Resuscitation**. 2016;106:76–82. doi: 10.1016/j.resuscitation.2016.06.018. [Google Scholar](#)
- [34.](#) Morgan RW, French B, Kilbaugh TJ, Naim MY, Wolfe H, Bratinov G, Shoap W, Hsieh TC, Nadkarni VM, Berg RA, Sutton RM. A quantitative comparison of physiologic indicators of cardiopulmonary resuscitation quality: diastolic blood pressure versus end-tidal carbon dioxide. **Resuscitation**. 2016;104:6–11. doi: 10.1016/j.resuscitation.2016.04.004. [Google Scholar](#)
- [35.](#) Morgan RW, Kilbaugh TJ, Shoap W, Bratinov G, Lin Y, Hsieh TC, Nadkarni VM, Berg RA, Sutton RM; Pediatric Cardiac Arrest Survival Outcomes PiCASO Laboratory Investigators. A hemodynamic-directed approach to pediatric

cardiopulmonary resuscitation (HD-CPR) improves survival. **Resuscitation**. 2017;111:41–47. doi: 10.1016/j.resuscitation.2016.11.018. [Google Scholar](#)

- [36.](#) Soar J, Callaway CW, Aibiki M, Bottiger BW, Brooks SC, Deakin CD, Donnino MW, Drajer S, Kloeck W, Morley PT, Morrison LJ, Neumar RW, Nicholson TC, Nolan JP, Okada K, O’Neil BJ, Paiva EF, Parr MJ, Wang TL, Witt J; on behalf of the Advanced Life Support Chapter Collaborators. Part 4: advanced life support: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Resuscitation**. 2015;95:e71–e120. doi: 10.1016/j.resuscitation.2015.07.042. [Google Scholar](#)
- [37.](#) Callaway CW, Soar J, Aibiki M, Bottiger BW, Brooks SC, Deakin CD, Donnino MW, Drajer S, Kloeck W, Morley PT, Morrison LJ, Neumar RW, Nicholson TC, Nolan JP, Okada K, O’Neil BJ, Paiva EF, Parr MJ, Wang TL, Witt J; on behalf of the Advanced Life Support Chapter Collaborators. Part 4: advanced life support: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Circulation**. 2015;132(suppl 1):S84–S145. doi: 10.1161/CIR.0000000000000273. [Google Scholar](#)
- [38.](#) Andersen LW, Granfeldt A, Callaway CW, Bradley SM, Soar J, Nolan JP, Kurth T, Donnino MW; American Heart Association’s Get With The Guidelines–Resuscitation Investigators. Association between tracheal intubation during adult in-hospital cardiac arrest and survival. **JAMA**. 2017;317:494–506. doi: 10.1001/jama.2016.20165. [Google Scholar](#)
- [39.](#) Wang CH, Chen WJ, Chang WT, Tsai MS, Yu PH, Wu YW, Huang CH. The association between timing of tracheal intubation and outcomes of adult in-hospital cardiac arrest: a retrospective cohort study. **Resuscitation**. 2016;105:59–65. doi: 10.1016/j.resuscitation.2016.05.012. [Google Scholar](#)
- [40.](#) Voss S, Rhys M, Coates D, Greenwood R, Nolan JP, Thomas M, Bengner J. How do paramedics manage the airway during out of hospital cardiac arrest? **Resuscitation**. 2014;85:1662–1666. doi: 10.1016/j.resuscitation.2014.09.008. [Google Scholar](#)
- [41.](#) Taylor J, Black S, J Brett S, Kirby K, Nolan JP, Reeves BC, Robinson M, Rogers CA, Scott LJ, South A, Stokes EA, Thomas M, Voss S, Wordsworth S, Bengner JR. Design and implementation of the AIRWAYS-2 trial: a multi-centre cluster randomised controlled trial of the clinical and cost effectiveness of the i-gel supraglottic airway device versus tracheal intubation in the initial airway management of out of hospital cardiac arrest. **Resuscitation**. 2016;109:25–32. doi: 10.1016/j.resuscitation.2016.09.016. [Google Scholar](#)
- [42.](#) Wang HE, Prince DK, Stephens SW, Herren H, Daya M, Richmond N, Carlson J, Warden C, Colella MR, Brienza A, Aufderheide TP, Idris AH, Schmicker R, May S, Nichol G. Design and implementation of the Resuscitation Outcomes Consortium Pragmatic Airway Resuscitation Trial (PART). **Resuscitation**. 2016;101:57–64. doi: 10.1016/j.resuscitation.2016.01.012. [Google Scholar](#)
- [43.](#) Jacobs IG, Finn JC, Jelinek GA, Oxeer HF, Thompson PL. Effect of adrenaline on survival in out-of-hospital cardiac arrest: a randomised double-blind placebo-controlled trial. **Resuscitation**. 2011;82:1138–1143. doi: 10.1016/j.resuscitation.2011.06.029. [Google Scholar](#)
- [44.](#) Loomba RS, Nijhawan K, Aggarwal S, Arora RR. Increased return of spontaneous circulation at the expense of neurologic outcomes: is prehospital epinephrine for out-of-hospital cardiac arrest really worth it? **J Crit Care**. 2015;30:1376–1381. doi: 10.1016/j.jcrc.2015.08.016. [Google Scholar](#)
- [45.](#) Andersen LW, Kurth T, Chase M, Berg KM, Cocchi MN, Callaway C, Donnino MW; American Heart Association’s Get With The Guidelines-Resuscitation

Investigators. Early administration of epinephrine (adrenaline) in patients with cardiac arrest with initial shockable rhythm in hospital: propensity score matched analysis.**BMJ**. 2016;353:i1577.[Google Scholar](#)

- [46.](#) Hubble MW, Tyson C. Impact of early vasopressor administration on neurological outcomes after prolonged out-of-hospital cardiac arrest.**Prehosp Disaster Med**. 2017;1–8. doi: 10.1017/S1049023X17000115.[Google Scholar](#)
- [47.](#) Perkins GD, Quinn T, Deakin CD, Nolan JP, Lall R, Slowther AM, Cooke M, Lamb SE, Petrou S, Achana F, Finn J, Jacobs IG, Carson A, Smyth M, Han K, Byers S, Rees N, Whitfield R, Moore F, Fothergill R, Stallard N, Long J, Hennings S, Horton J, Kaye C, Gates S. Pre-hospital Assessment of the Role of Adrenaline: Measuring the Effectiveness of Drug administration In Cardiac arrest (PARAMEDIC-2): Trial protocol.**Resuscitation**. 2016;108:75–81. doi: 10.1016/j.resuscitation.2016.08.029.[Google Scholar](#)
- [48.](#) Carr BG, Kahn JM, Merchant RM, Kramer AA, Neumar RW. Inter-hospital variability in post-cardiac arrest mortality.**Resuscitation**. 2009;80:30–34. doi: 10.1016/j.resuscitation.2008.09.001.[Google Scholar](#)
- [49.](#) Nolan JP, Ferrando P, Soar J, Bengler J, Thomas M, Harrison DA, Perkins GD. Increasing survival after admission to UK critical care units following cardiopulmonary resuscitation.**Crit Care**. 2016;20:219. doi: 10.1186/s13054-016-1390-6.[Google Scholar](#)
- [50.](#) Straney LD, Bray JE, Finn J, Bernard S, Pilcher D. Trends in intensive care unit cardiac arrest admissions and mortality in Australia and New Zealand.**Crit Care Resusc**. 2014;16:104–111.[Google Scholar](#)
- [51.](#) Bernard SA, Gray TW, Buist MD, Jones BM, Silvester W, Gutteridge G, Smith K. Treatment of comatose survivors of out-of-hospital cardiac arrest with induced hypothermia.**N Engl J Med**. 2002;346:557–563. doi: 10.1056/NEJMoa003289.[Google Scholar](#)
- [52.](#) Hypothermia After Cardiac Arrest Study Group. Mild therapeutic hypothermia to improve the neurologic outcome after cardiac arrest.**N Engl J Med**. 2002;346:549–556. doi: 10.1056/NEJMoa012689.[Google Scholar](#)
- [53.](#) Nielsen N, Wetterslev J, Cronberg T, Erlinge D, Gasche Y, Hassager C, Horn J, Hovdenes J, Kjaergaard J, Kuiper M, Pellis T, Stammed P, Wanscher M, Wise MP, Åneman A, Al-Subaie N, Boesgaard S, Bro-Jeppesen J, Brunetti I, Bugge JF, Hingston CD, Juffermans NP, Koopmans M, Køber L, Langørgen J, Lilja G, Møller JE, Rundgren M, Rylander C, Smid O, Werer C, Winkel P, Friberg H; TTM Trial Investigators. Targeted temperature management at 33°C versus 36°C after cardiac arrest.**N Engl J Med**. 2013;369:2197–2206. doi: 10.1056/NEJMoa1310519.[Google Scholar](#)
- [54.](#) Donnino MW, Andersen LW, Berg KM, Reynolds JC, Nolan JP, Morley PT, Lang E, Cocchi MN, Xanthos T, Callaway CW, Soar J; for the ILCOR ALS Task Force. Temperature management after cardiac arrest: an advisory statement by the Advanced Life Support Task Force of the International Liaison Committee on Resuscitation and the American Heart Association Emergency Cardiovascular Care Committee and the Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation.**Resuscitation**. 2016;98:97–104. doi: 10.1016/j.resuscitation.2015.09.396.[Google Scholar](#)
- [55.](#) History. TTM2 Trial Group website.<http://www.ttm2trial.org/about-study/history>. Accessed April 14, 2017.[Google Scholar](#)
- [56.](#) ClinicalTrials.gov. Finding the Optimal Cooling Temperature After Out-of-Hospital Cardiac Arrest

(FROST).<https://www.clinicaltrials.gov/ct2/show/NCT02035839>. Accessed April 14, 2017.[Google Scholar](#)

- [57](#). ClinicalTrials.gov. Neuroprotective Goal Directed Hemodynamic Optimization in Post-Cardiac Arrest Patients (NEUROPROTECT).<https://www.clinicaltrials.gov/ct2/show/NCT02541591>. Accessed April 24, 2017.[Google Scholar](#)
- [58](#). Larsen JM, Ravkilde J. Acute coronary angiography in patients resuscitated from out-of-hospital cardiac arrest—a systematic review and meta-analysis.**Resuscitation**. 2012;83:1427–1433. doi: 10.1016/j.resuscitation.2012.08.337.[Google Scholar](#)
- [59](#). Welsford M, Nikolaou NI, Beygui F, Bossaert L, Ghaemmaghami C, Nonogi H, O'Connor RE, Pichel DR, Scott T, Walters DL, Woolfrey KG; on behalf of the Acute Coronary Syndrome Chapter Collaborators. Part 5: acute coronary syndromes: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations.**Circulation**. 2015;132(suppl 1):S146–S176. doi: 10.1161/CIR.0000000000000274.[Google Scholar](#)
- [60](#). Nikolaou NI, Welsford M, Beygui F, Bossaert L, Ghaemmaghami C, Nonogi H, O'Connor RE, Pichel DR, Scott T, Walters DL, Woolfrey KG; on behalf of the Acute Coronary Syndrome Chapter Collaborators. Part 5: acute coronary syndromes: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations.**Resuscitation**. 2015;95:e121–e146. doi: 10.1016/j.resuscitation.2015.07.043.[Google Scholar](#)
- [61](#). Lemkes JS, Janssens GN, Straaten HM, Elbers PW, van der Hoeven NW, Tijssen JG, Otterspoor LC, Voskuil M, van der Heijden JJ, Meuwissen M, Rijpstra TA, Vlachojannis GJ, van der Vleugel RM, Nieman K, Jewbali LS, Bleeker GB, Baak R, Beishuizen B, Stoel MG, van der Harst P, Camaro C, Henriques JP, Vink MA, Gosselink MT, Bosker HA, Crijns HJ, van Royen N; COACT Investigators. Coronary angiography after cardiac arrest: rationale and design of the COACT trial.**Am Heart J**. 2016;180:39–45. doi: 10.1016/j.ahj.2016.06.025.[Google Scholar](#)
- [62](#). ClinicalTrials.gov. Early Coronary Angiography Versus Delayed Coronary Angiography (PEARL).<https://www.clinicaltrials.gov/ct2/show/NCT02387398>. Accessed April 24, 2017.[Google Scholar](#)
- [63](#). ClinicalTrials.gov. Immediate Unselected Coronary Angiography Versus Delayed Triage in Survivors of Out-of-Hospital Cardiac Arrest Without ST-Segment Elevation (TOMAHAWK).<https://www.clinicaltrials.gov/show/NCT02750462>. Accessed April 15, 2017.[Google Scholar](#)
- [64](#). ClinicalTrials.gov. Direct or Subacute Coronary Angiography for Out-of-Hospital Cardiac Arrest (DISCO).<https://www.clinicaltrials.gov/ct2/show/NCT02309151>. Accessed April 15, 2017.[Google Scholar](#)
- [65](#). Patterson T, Perkins GD, Joseph J, Wilson K, Van Dyck L, Robertson S, Nguyen H, McConkey H, Whitbread M, Fothergill R, Nevett J, Dalby M, Rakhit R, MacCarthy P, Perera D, Nolan JP, Redwood SR. A Randomised tRial of Expedited transfer to a cardiac arrest centre for non-ST elevation ventricular fibrillation out-of-hospital cardiac arrest: the ARREST pilot randomised trial.**Resuscitation**. 2017;115:185–191. doi: 10.1016/j.resuscitation.2017.01.020.[Google Scholar](#)
- [66](#). Yannopoulos D, Aufderheide TP. The ACCESS trial—CCC: Grantome website.<http://www.grantome.com/grant/NIH/R01-HL133818-01>. Accessed April 21, 2017.[Google Scholar](#)
- [67](#). Elmer J, Torres C, Aufderheide TP, Austin MA, Callaway CW, Golan E, Herren H, Jasti J, Kudenchuk PJ, Scales DC, Stub D, Richardson DK, Zive DM; Resuscitation Outcomes Consortium. Association of early withdrawal of life-sustaining therapy for

perceived neurological prognosis with mortality after cardiac arrest. **Resuscitation**. 2016;102:127–135. doi: 10.1016/j.resuscitation.2016.01.016. [Google Scholar](#)

- [68.](#) Perman SM, Kirkpatrick JN, Reitsma AM, Gaieski DF, Lau B, Smith TM, Leary M, Fuchs BD, Levine JM, Abella BS, Becker LB, Merchant RM. Timing of neuroprognostication in postcardiac arrest therapeutic hypothermia. **Crit Care Med**. 2012;40:719–724. doi: 10.1097/CCM.0b013e3182372f93. [Google Scholar](#)
- [69.](#) Mulder M, Gibbs HG, Smith SW, Dhaliwal R, Scott NL, Sprenkle MD, Geocadin RG. Awakening and withdrawal of life-sustaining treatment in cardiac arrest survivors treated with therapeutic hypothermia. **Crit Care Med**. 2014;42:2493–2499. doi: 10.1097/CCM.0000000000000540. [Google Scholar](#)
- [70.](#) Anderson KB, Poloyac SM, Kochanek PM, Empey PE. Effect of hypothermia and targeted temperature management on drug disposition and response following cardiac arrest: a comprehensive review of preclinical and clinical investigations. **Ther Hypothermia Temp Manag**. 2016;6:169–179. doi: 10.1089/ther.2016.0003. [Google Scholar](#)
- [71.](#) Wijdicks EF, Bamlet WR, Maramattom BV, Manno EM, McClelland RL. Validation of a new coma scale: the FOUR score. **Ann Neurol**. 2005;58:585–593. doi: 10.1002/ana.20611. [Google Scholar](#)
- [72.](#) Rundgren M, Cronberg T, Friberg H, Isaksson A. Serum neuron specific enolase: impact of storage and measuring method. **BMC Res Notes**. 2014;7:726. doi: 10.1186/1756-0500-7-726. [Google Scholar](#)
- [73.](#) Choi SP, Park KN, Park HK, Kim JY, Youn CS, Ahn KJ, Yim HW. Diffusion-weighted magnetic resonance imaging for predicting the clinical outcome of comatose survivors after cardiac arrest: a cohort study. **Crit Care**. 2010;14:R17. doi: 10.1186/cc8874. [Google Scholar](#)
- [74.](#) Youn CS, Callaway CW, Rittenberger JC; Post Cardiac Arrest Service. Combination of initial neurologic examination and continuous EEG to predict survival after cardiac arrest. **Resuscitation**. 2015;94:73–79. doi: 10.1016/j.resuscitation.2015.06.016. [Google Scholar](#)
- [75.](#) Bouwes A, Binnekade JM, Verbaan BW, Zandbergen EG, Koelman JH, Weinstein HC, Hijdra A, Horn J. Predictive value of neurological examination for early cortical responses to somatosensory evoked potentials in patients with postanoxic coma. **J Neurol**. 2012;259:537–541. doi: 10.1007/s00415-011-6224-5. [Google Scholar](#)
- [76.](#) Hirsch LJ, LaRoche SM, Gaspard N, Gerard E, Svoronos A, Herman ST, Mani R, Arif H, Jette N, Minazad Y, Kerrigan JF, Vespa P, Hantus S, Claassen J, Young GB, So E, Kaplan PW, Nuwer MR, Fountain NB, Drislane FW. American Clinical Neurophysiology Society's standardized critical care EEG terminology: 2012 version. **J Clin Neurophysiol**. 2013;30:1–27. doi: 10.1097/WNP.0b013e3182784729. [Google Scholar](#)
- [77.](#) Hirsch KG, Mlynash M, Jansen S, Persoon S, Eynhorn I, Krasnokutsky MV, Wijman CA, Fischbein NJ. Prognostic value of a qualitative brain MRI scoring system after cardiac arrest. **J Neuroimaging**. 2015;25:430–437. doi: 10.1111/jon.12143. [Google Scholar](#)
- [78.](#) Global Health Observatory (GHO) data: causes of death. World Health Organization website. http://www.who.int/gho/mortality_burden_disease/causes_death/en/. Accessed April 21, 2017. [Google Scholar](#)
- [79.](#) Naim MY, Burke RV, McNally BF, Song L, Griffis HM, Berg RA, Vellano K, Markenson D, Bradley RN, Rossano JW. Association of bystander cardiopulmonary resuscitation with overall and neurologically favorable survival after pediatric out-of-

hospital cardiac arrest in the United States: a report from the Cardiac Arrest Registry to Enhance Survival Surveillance Registry. **JAMA Pediatr.** 2017;171:133–141. doi: 10.1001/jamapediatrics.2016.3643. [Google Scholar](#)

- [80.](#) Fink EL, Prince DK, Kaltman JR, Atkins DL, Austin M, Warden C, Hutchison J, Daya M, Goldberg S, Herren H, Tijssen JA, Christenson J, Vaillancourt C, Miller R, Schmicker RH, Callaway CW; Resuscitation Outcomes Consortium. Unchanged pediatric out-of-hospital cardiac arrest incidence and survival rates with regional variation in North America. **Resuscitation.** 2016;107:121–128. doi: 10.1016/j.resuscitation.2016.07.244. [Google Scholar](#)
- [81.](#) Martinez PA, Totapally BR. The epidemiology and outcomes of pediatric in-hospital cardiopulmonary arrest in the United States during 1997 to 2012. **Resuscitation.** 2016;105:177–181. doi: 10.1016/j.resuscitation.2016.06.010. [Google Scholar](#)
- [82.](#) Berg RA, Nadkarni VM, Clark AE, Moler F, Meert K, Harrison RE, Newth CJ, Sutton RM, Wessel DL, Berger JT, Carcillo J, Dalton H, Heidemann S, Shanley TP, Zuppa AF, Doctor A, Tamburro RF, Jenkins TL, Dean JM, Holubkov R, Pollack MM; Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. Incidence and outcomes of cardiopulmonary resuscitation in PICUs. **Crit Care Med.** 2016;44:798–808. doi: 10.1097/CCM.0000000000001484. [Google Scholar](#)
- [83.](#) Summary health statistics tables for the U.S. population: national health interview survey: table P-10. Centers for Disease Control and Prevention (CDC)/National Center for Health Statistics website. <http://www.cdc.gov/nchs/fastats/hospital.htm>. Accessed April 21, 2017. [Google Scholar](#)
- [84.](#) Maconochie IK, de Caen AR, Aickin R, Atkins DL, Biarent D, Guerguerian AM, Kleinman ME, Kloeck DA, Meaney PA, Nadkarni VM, Ng KC, Nuthall G, Reis AG, Shimizu N, Tibballs J, Pintos RV; on behalf of the Pediatric Basic Life Support and Pediatric Advanced Life Support Chapter Collaborators. Part 6: pediatric basic life support and pediatric advanced life support: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Resuscitation.** 2015;95:e147–e168. doi: 10.1016/j.resuscitation.2015.07.044. [Google Scholar](#)
- [85.](#) de Caen AR, Maconochie IK, Aickin R, Atkins DL, Biarent D, Guerguerian AM, Kleinman ME, Kloeck DA, Meaney PA, Nadkarni VM, Ng KC, Nuthall G, Reis AG, Shimizu N, Tibballs J, Veliz Pintos R; on behalf of the Pediatric Basic Life Support and Pediatric Advanced Life Support Chapter Collaborators. Part 6: pediatric basic life support and pediatric advanced life support: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Circulation.** 2015;132(suppl 1):S177–S203. doi: 10.1161/CIR.0000000000000275. [Google Scholar](#)
- [86.](#) Lubrano R, Cecchetti C, Bellelli E, Gentile I, Loayza Levano H, Orsini F, Bertazzoni G, Messi G, Rugolotto S, Pirozzi N, Elli M. Comparison of times of intervention during pediatric CPR maneuvers using ABC and CAB sequences: a randomized trial. **Resuscitation.** 2012;83:1473–1477. doi: 10.1016/j.resuscitation.2012.04.011. [Google Scholar](#)
- [87.](#) Marsch S, Tschan F, Semmer NK, Zobrist R, Hunziker PR, Hunziker S. ABC versus CAB for cardiopulmonary resuscitation: a prospective, randomized simulator-based trial. **Swiss Med Wkly.** 2013;143:w13856. doi: 10.4414/smww.2013.13856. [Google Scholar](#)

- [88.](#) Sekiguchi H, Kondo Y, Kukita I. Verification of changes in the time taken to initiate chest compressions according to modified basic life support guidelines. **Am J Emerg Med.** 2013;31:1248–1250. doi: 10.1016/j.ajem.2013.02.047. [Google Scholar](#)
- [89.](#) Maconochie IK, Bingham R, Eich C, López-Herce J, Rodríguez-Núñez A, Rajka T, Van de Voorde P, Zideman DA, Biarent D; Paediatric Life Support Section Collaborators. European resuscitation council guidelines for resuscitation 2015: section 6: paediatric life support. **Resuscitation.** 2015;95:223–248. doi: 10.1016/j.resuscitation.2015.07.028. [Google Scholar](#)
- [90.](#) Atkins DL, Berger S, Duff JP, Gonzales JC, Hunt EA, Joyner BL, Meaney PA, Niles DE, Samson RA, Schexnayder SM. Part 11: pediatric basic life support and cardiopulmonary resuscitation quality: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. **Circulation.** 2015;132(suppl 2):S519–S525. doi: 10.1161/CIR.0000000000000265. [Google Scholar](#)
- [91.](#) Kleinman ME, Brennan EE, Goldberger ZD, Swor RA, Terry M, Bobrow BJ, Gazmuri RJ, Travers AH, Rea T. Part 5: adult basic life support and cardiopulmonary resuscitation quality: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. **Circulation.** 2015;132:S414–S435. doi: 10.1161/CIR.0000000000000259. [Google Scholar](#)
- [92.](#) Meaney PA, Bobrow BJ, Mancini ME, Christenson J, de Caen AR, Bhanji F, Abella BS, Kleinman ME, Edelson DP, Aufderheide TP, Menon V, Leary M; on behalf of the CPR Quality Summit Investigators, the American Heart Association Emergency Cardiovascular Care Committee, and the Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation. CPR quality: improving cardiac resuscitation outcomes both inside and outside the hospital: a consensus statement from the American Heart Association [published corrections appear in *Circulation*. 2013;128:e120 and *Circulation*. 2013;128:e408]. **Circulation.** 2013;128:417–435. doi: 10.1161/CIR.0b013e31829d8654. [Google Scholar](#)
- [93.](#) Cheng A, Brown LL, Duff JP, Davidson J, Overly F, Tofil NM, Peterson DT, White ML, Bhanji F, Bank I, Gottesman R, Adler M, Zhong J, Grant V, Grant DJ, Sudikoff SM, Marohn K, Charnovich A, Hung EA, Kessler DO, Wong H, Robertson N, Lin Y, Doan Q, Duval-Arnould JM, Nadkarni VM; International Network for Simulation-Based Pediatric Innovation, Research & Education (INSPIRE) CPR Investigators. Improving cardiopulmonary resuscitation with a CPR feedback device and refresher simulations (CPR CARES Study): a randomized clinical trial. **JAMA Pediatr.** 2015;169:137–144. doi: 10.10/jamapediatrics.2014.2616. [Google Scholar](#)
- [94.](#) Mentzelopoulos SD, Zakynthinos SG, Siempos I, Malachias S, Ulmer H, Wenzel V. Vasopressin for cardiac arrest: meta-analysis of randomized controlled trials. **Resuscitation.** 2012;83:32–39. doi: 10.1016/j.resuscitation.2011.07.015. [Google Scholar](#)
- [95.](#) Lin S, Callaway CW, Shah PS, Wagner JD, Beyene J, Ziegler CP, Morrison LJ. Adrenaline for out-of-hospital cardiac arrest resuscitation: a systematic review and meta-analysis of randomized controlled trials. **Resuscitation.** 2014;85:732–740. doi: 10.1016/j.resuscitation.2014.03.008. [Google Scholar](#)
- [96.](#) Enright K, Turner C, Roberts P, Cheng N, Browne G. Primary cardiac arrest following sport or exertion in children presenting to an emergency department: chest compressions and early defibrillation can save lives, but is intravenous epinephrine always appropriate? **Pediatr Emerg Care.** 2012;28:336–339. doi: 10.1097/PEC.0b013e31824d8c78. [Google Scholar](#)

- [97.](#) Perondi MB, Reis AG, Paiva EF, Nadkarni VM, Berg RA. A comparison of high-dose and standard-dose epinephrine in children with cardiac arrest. **N Engl J Med.** 2004;350:1722–1730. doi: 10.1056/NEJMoa032440. [Google Scholar](#)
- [98.](#) Andersen LW, Berg KM, Saindon BZ, Massaro JM, Raymond TT, Berg RA, Nadkarni VM, Donnino MW; American Heart Association Get With the Guidelines–Resuscitation Investigators. Time to epinephrine and survival after pediatric in-hospital cardiac arrest. **JAMA.** 2015;314:802–810. doi: 10.1001/jama.2015.9678. [Google Scholar](#)
- [99.](#) Carroll TG, Dimas VV, Raymond TT. Vasopressin rescue for in-pediatric intensive care unit cardiopulmonary arrest refractory to initial epinephrine dosing: a prospective feasibility pilot trial. **Pediatr Crit Care Med.** 2012;13:265–272. doi: 10.1097/PCC.0b013e31822f1569. [Google Scholar](#)
- [100.](#) Rodríguez-Núñez A, López-Herce J, del Castillo J, Bellón JM; Iberian-American Paediatric Cardiac Arrest Study Network RIBEPCI. Shockable rhythms and defibrillation during in-hospital pediatric cardiac arrest. **Resuscitation.** 2014;85:387–391. doi: 10.1016/j.resuscitation.2013.11.015. [Google Scholar](#)
- [101.](#) Meaney PA, Nadkarni VM, Atkins DL, Berg MD, Samson RA, Hazinski MF, Berg RA; American Heart Association National Registry of Cardiopulmonary Resuscitation Investigators. Effect of defibrillation energy dose during in-hospital pediatric cardiac arrest. **Pediatrics.** 2011;127:e16–e23. doi: 10.1542/peds.2010-1617. [Google Scholar](#)
- [102.](#) Moler FW, Silverstein FS, Holubkov R, Slomine BS, Christensen JR, Nadkarni VM, Meert KL, Clark AE, Browning B, Pemberton VL, Page K, Shankaran S, Hutchison JS, Newth CJ, Bennett KS, Berger JT, Topjian A, Pineda JA, Koch JD, Schleien CL, Dalton HJ, Ofori-Amanfo G, Goodman DM, Fink EL, McQuillen P, Zimmerman JJ, Thomas NJ, van der Jagt EW, Porter MB, Meyer MT, Harrison R, Pham N, Schwarz AJ, Nowak JE, Alten J, Wheeler DS, Bhalala US, Lidsky K, Lloyd E, Mathur M, Shah S, Wu T, Theodorou AA, Sanders RC, Dean JM; THAPCA Trial Investigators. Therapeutic hypothermia after out-of-hospital cardiac arrest in children. **N Engl J Med.** 2015;372:1898–1908. doi: 10.1056/NEJMoa1411480. [Google Scholar](#)
- [103.](#) Moler FW, Silverstein FS, Holubkov R, Slomine BS, Christensen JR, Nadkarni VM, Meert KL, Browning B, Pemberton VL, Page K, Gildea MR, Scholefield BR, Shankaran S, Hutchison JS, Berger JT, Ofori-Amanfo G, Newth CJ, Topjian A, Bennett KS, Koch JD, Pham N, Chanani NK, Pineda JA, Harrison R, Dalton HJ, Alten J, Schleien CL, Goodman DM, Zimmerman JJ, Bhalala US, Schwarz AJ, Porter MB, Shah S, Fink EL, McQuillen P, Wu T, Skellett S, Thomas NJ, Nowak JE, Baines PB, Pappachan J, Mathur M, Lloyd E, van der Jagt EW, Dobyms EL, Meyer MT, Sanders RC, Clark AE, Dean JM; THAPCA Trial Investigators. Therapeutic hypothermia after in-hospital cardiac arrest in children. **N Engl J Med.** 2017;376:318–329. doi: 10.1056/NEJMoa1610493. [Google Scholar](#)
- [104.](#) Bistriz JF, Horton LM, Smaldone A. Therapeutic hypothermia in children after cardiac arrest: a systematic review and meta-analysis. **Pediatr Emerg Care.** 2015;31:296–303. doi: 10.1097/PEC.0000000000000407. [Google Scholar](#)
- [105.](#) Vincent JL, Taccone FS. Difficulty interpreting the results of some trials: the case of therapeutic hypothermia after pediatric cardiac arrest. **Crit Care.** 2015;19:391. doi: 10.1186/s13054-015-1121-4. [Google Scholar](#)
- [106.](#) Søreide E, Morrison L, Hillman K, Monsieurs K, Sunde K, Zideman D, Eisenberg M, Sterz F, Nadkarni VM, Soar J, Nolan JP; Utstein Formula for Survival

Collaborators. The formula for survival in resuscitation. **Resuscitation**. 2013;84:1487–1493. doi: 10.1016/j.resuscitation.2013.07.020. [Google Scholar](#)

- [107.](#) Finn JC, Bhanji F, Lockey A, Monsieurs K, Frengley R, Iwami T, Lang E, Ma MH, Mancini ME, McNeil MA, Greif R, Billi JE, Nadkarni VM, Bigham B; on behalf of the Education, Implementation, and Teams Chapter Collaborators. Part 8: education, implementation, and teams: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Resuscitation**. 2015;95:e203–e224. doi: 10.1016/j.resuscitation.2015.07.046. [Google Scholar](#)
- [108.](#) Bhanji F, Finn JC, Lockey A, Monsieurs K, Frengley R, Iwami T, Lang E, Ma MH, Mancini ME, McNeil MA, Greif R, Billi JE, Nadkarni VM, Bigham B; on behalf of the Education, Implementation, and Teams Chapter Collaborators. Part 8: education, implementation, and teams: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. **Circulation**. 2015;132(suppl 1):S242–S268. doi: 10.1161/CIR.0000000000000277. [Google Scholar](#)
- [109.](#) Dail TK, Christina RW. Distribution of practice and metacognition in learning and long-term retention of a discrete motor task. **Res Q Exerc Sport**. 2004;75:148–155. doi: 10.1080/02701367.2004.10609146. [Google Scholar](#)
- [110.](#) Turner NM, Dierselhuis MP, Draaisma JM, ten Cate OT. The effect of the advanced paediatric life support course on perceived self-efficacy and use of resuscitation skills. **Resuscitation**. 2007;73:430–436. doi: 10.1016/j.resuscitation.2006.10.018. [Google Scholar](#)
- [111.](#) Hasselqvist-Ax I, Riva G, Herlitz J, Rosenqvist M, Hollenberg J, Nordberg P, Ringh M, Jonsson M, Axelsson C, Lindqvist J, Karlsson T, Svensson L. Early cardiopulmonary resuscitation in out-of-hospital cardiac arrest. **N Engl J Med**. 2015;372:2307–2315. doi: 10.1056/NEJMoa1405796. [Google Scholar](#)
- [112.](#) Kalz M, Lenssen N, Felzen M, Rossaint R, Tabuenca B, Specht M, Skorning M. Smartphone apps for cardiopulmonary resuscitation training and real incident support: a mixed-methods evaluation study. **J Med Internet Res**. 2014;16:e89. doi: 10.2196/jmir.2951. [Google Scholar](#)
- [113.](#) Schober A, Sterz F, Laggner AN, Poppe M, Sulzgruber P, Lobmeyr E, Datler P, Keferböck M, Zeiner S, Nuernberger A, Eder B, Hinterholzer G, Mydza D, Enzensberger B, Herbich K, Schuster R, Koeller E, Publig T, Smetana P, Scheibenpflug C, Christ G, Meyer B, Uray T. Admission of out-of-hospital cardiac arrest victims to a high volume cardiac arrest center is linked to improved outcome. **Resuscitation**. 2016;106:42–48. doi: 10.1016/j.resuscitation.2016.06.021. [Google Scholar](#)
- [114.](#) Elmer J, Rittenberger JC, Coppler PJ, Guyette FX, Doshi AA, Callaway CW; Pittsburgh Post-Cardiac Arrest Service. Long-term survival benefit from treatment at a specialty center after cardiac arrest. **Resuscitation**. 2016;108:48–53. doi: 10.1016/j.resuscitation.2016.09.008. [Google Scholar](#)
- [115.](#) Tranberg T, Lippert FK, Christensen EF, Stengaard C, Hjort J, Lassen JF, Petersen F, Jensen JS, Back C, Jensen LO, Ravkilde J, Botker HE, Terkelsen CJ. Distance to invasive heart centre, performance of acute coronary angiography, and angioplasty and associated outcome in out-of-hospital cardiac arrest: a nationwide study. **Eur Heart J**. 2017;38:1645–1652. doi: 10.1093/eurheartj/ehx104. [Google Scholar](#)
- [116.](#) Minei JP, Fabian TC, Guffey DM, Newgard CD, Bulger EM, Brasel KJ, Sperry JL, MacDonald RD. Increased trauma center volume is associated with improved

survival after severe injury: results of a Resuscitation Outcomes Consortium study.**Ann Surg.** 2014;260:456–464. doi: 10.1097/SLA.0000000000000873.[Google Scholar](#)

- [117.](#) Tung YC, Chang GM, Chien KL, Tu YK. The relationships among physician and hospital volume, processes, and outcomes of care for acute myocardial infarction.**Med Care.** 2014;52:519–527. doi: 10.1097/MLR.000000000000132.[Google Scholar](#)
- [118.](#) Soar J, Mancini ME, Bhanji F, Billi JE, Dennett J, Finn J, Ma MH, Perkins GD, Rodgers DL, Hazinski MF, Jacobs I, Morley PT; Education, Implementation, and Teams Chapter Collaborators. Part 12: education, implementation, and teams: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations.**Resuscitation.** 2010;81(suppl 1):e288–e330. doi: 10.1016/j.resuscitation.2010.08.030.[Google Scholar](#)
- [119.](#) Bigham BL, Koprowicz K, Aufderheide TP, Davis DP, Donn S, Powell J, Suffoletto B, Nafziger S, Stouffer J, Idris A, Morrison LJ; ROC Investigators. Delayed prehospital implementation of the 2005 American Heart Association guidelines for cardiopulmonary resuscitation and emergency cardiac care.**Prehosp Emerg Care.** 2010;14:355–360. doi: 10.3109/10903121003770639.[Google Scholar](#)
- [120.](#) Kim YM, Lee SJ, Jo SJ, Park KN. Implementation of the guidelines for targeted temperature management after cardiac arrest: a longitudinal qualitative study of barriers and facilitators perceived by hospital resuscitation champions.**BMJ Open.** 2016;6:e009261. doi: 10.1136/bmjopen-2015-009261.[Google Scholar](#)
- [121.](#) Dainty KN, Brooks SC, Morrison LJ. Are the 2010 guidelines on cardiopulmonary resuscitation lost in translation? A call for increased focus on implementation science.**Resuscitation.** 2013;84:422–425. doi: 10.1016/j.resuscitation.2012.08.336.[Google Scholar](#)
- [122.](#) Morrison LJ, Brooks SC, Dainty KN, Dorian P, Needham DM, Ferguson ND, Rubenfeld GD, Slutsky AS, Wax RS, Zwarenstein M, Thorpe K, Zhan C, Scales DC; Strategies for Post-Arrest Care Network. Improving use of targeted temperature management after out-of-hospital cardiac arrest: a stepped wedge cluster randomized controlled trial.**Crit Care Med.** 2015;43:954–964. doi: 10.1097/CCM.0000000000000864.[Google Scholar](#)
- [123.](#) Singletary EM, Zideman DA, De Buck ED, Chang WT, Jensen JL, Swain JM, Woodin JA, Blanchard IE, Herrington RA, Pellegrino JL, Hood NA, Lojero-Wheatley LF, Markenson DS, Yang HJ; on behalf of the First Aid Chapter Collaborators. Part 9: first aid: 2015 International Consensus on First Aid Science With Treatment Recommendations.**Circulation.** 2015;132(suppl 1):S269–S311. doi: 10.1161/CIR.0000000000000278.[Google Scholar](#)
- [124.](#) Zideman DA, Singletary EM, De Buck ED, Chang WT, Jensen JL, Swain JM, Woodin JA, Blanchard IE, Herrington RA, Pellegrino JL, Hood NA, Lojero-Wheatley LF, Markenson DS, Yang HJ; on behalf of the First Aid Chapter Collaborators. Part 9: first aid: 2015 International Consensus on First Aid Science With Treatment Recommendations.**Resuscitation.** 2015;95:e225–e261. doi: 10.1016/j.resuscitation.2015.07.047.[Google Scholar](#)
- [125.](#) Adnet F, Borron SW, Finot MA, Minadeo J, Baud FJ. Relation of body position at the time of discovery with suspected aspiration pneumonia in poisoned comatose patients.**Crit Care Med.** 1999;27:745–748.[Google Scholar](#)
- [126.](#) Freire-Tellado M, Pavón-Prieto Mdel P, Fernández-López M, Navarro-Patón R. Does the recovery position threaten cardiac arrest victim's safety assessment?**Resuscitation.** 2016;105:e1. doi: 10.1016/j.resuscitation.2016.01.040.[Google Scholar](#)

- [127.](#) Seyal M, Bateman LM, Li CS. Impact of periictal interventions on respiratory dysfunction, postictal EEG suppression, and postictal immobility. **Epilepsia**. 2013;*54*:377–382. doi: 10.1111/j.1528-1167.2012.03691.x. [Google Scholar](#)
- [128.](#) Jullian S, Desmarest M, Gonzalez L, Ballester Y, Martinez A, Moretti R, Rivas A, Lacroix L, Biver A, Lejay E, Kanagarajah L, Portillo N, Cricchiutti G, Stefani C, Dalt L, Spiri D, Van De Voorde P, Titomanlio L. Recovery position significantly associated with a reduced admission rate of children with loss of consciousness. **Arch Dis Child**. 2016;*101*:521–526. doi: 10.1136/archdischild-2015-308857. [Google Scholar](#)
- [129.](#) Longphre JM, Denoble PJ, Moon RE, Vann RD, Freiburger JJ. First aid normobaric oxygen for the treatment of recreational diving injuries. **Undersea Hyperb Med**. 2007;*34*:43–49. [Google Scholar](#)
- [130.](#) Bruera E, de Stoutz N, Velasco-Leiva A, Schoeller T, Hanson J. Effects of oxygen on dyspnoea in hypoxaemic terminal-cancer patients. **Lancet**. 1993;*342*:13–14. [Google Scholar](#)
- [131.](#) Uronis HE, Currow DC, McCrory DC, Samsa GP, Abernethy AP. Oxygen for relief of dyspnoea in mildly- or non-hypoxaemic patients with cancer: a systematic review and meta-analysis. **Br J Cancer**. 2008;*98*:294–299. doi: 10.1038/sj.bjc.6604161. [Google Scholar](#)
- [132.](#) Philip J, Gold M, Milner A, Di Iulio J, Miller B, Spruyt O. A randomized, double-blind, crossover trial of the effect of oxygen on dyspnea in patients with advanced cancer. **J Pain Symptom Manage**. 2006;*32*:541–550. doi: 10.1016/j.jpainsymman.2006.06.009. [Google Scholar](#)
- [133.](#) Booth S, Kelly MJ, Cox NP, Adams L, Guz A. Does oxygen help dyspnea in patients with cancer? **Am J Respir Crit Care Med**. 1996;*153*:1515–1518. doi: 10.1164/ajrccm.153.5.8630595. [Google Scholar](#)
- [134.](#) Help us stop bleeding. Stop the Bleeding Coalition website. <http://www.stopthebleedingcoalition.org>. Accessed April 21, 2017. [Google Scholar](#)
- [135.](#) Beekley AC, Sebesta JA, Blackburne LH, Herbert GS, Kauvar DS, Baer DG, Walters TJ, Mullenix PS, Holcomb JB; 31st Combat Support Hospital Research Group. Prehospital tourniquet use in Operation Iraqi Freedom: effect on hemorrhage control and outcomes. **J Trauma**. 2008;*64*(suppl):S28–S37. doi: 10.1097/TA.0b013e318160937e. [Google Scholar](#)
- [136.](#) Lakstein D, Blumenfeld A, Sokolov T, Lin G, Bssorai R, Lynn M, Ben-Abraham R. Tourniquets for hemorrhage control on the battlefield: a 4-year accumulated experience. **J Trauma**. 2003;*54*(suppl):S221–S225. doi: 10.1097/01.TA.0000047227.33395.49. [Google Scholar](#)
- [137.](#) King DR, van der Wilden G, Kragh JF, Blackburne LH. Forward assessment of 79 prehospital battlefield tourniquets used in the current war. **J Spec Oper Med**. 2012;*12*:33–38. [Google Scholar](#)
- [138.](#) Kragh JF, Littrel ML, Jones JA, Walters TJ, Baer DG, Wade CE, Holcomb JB. Battle casualty survival with emergency tourniquet use to stop limb bleeding. **J Emerg Med**. 2011;*41*:590–597. doi: 10.1016/j.jemermed.2009.07.022. [Google Scholar](#)
- [139.](#) Kragh JF, Cooper A, Aden JK, Dubick MA, Baer DG, Wade CE, Blackburne LH. Survey of trauma registry data on tourniquet use in pediatric war casualties. **Pediatr Emerg Care**. 2012;*28*:1361–1365. doi: 10.1097/PEC.0b013e318276c260. [Google Scholar](#)

- [140.](#) Tien HC, Jung V, Rizoli SB, Acharya SV, MacDonald JC. An evaluation of tactical combat casualty care interventions in a combat environment. **J Am Coll Surg.** 2008;207:174–178. doi: 10.1016/j.jamcollsurg.2008.01.065. [Google Scholar](#)
- [141.](#) Kragh JF, Nam JJ, Berry KA, Mase VJ, Aden JK, Walters TJ, Dubick MA, Baer DG, Wade CE, Blackbourne LH. Transfusion for shock in US military war casualties with and without tourniquet use. **Ann Emerg Med.** 2015;65:290–296. doi: 10.1016/j.annemergmed.2014.10.021. [Google Scholar](#)
- [142.](#) Brodie S, Hodgetts TJ, Ollerton J, McLeod J, Lambert P, Mahoney P. Tourniquet use in combat trauma: UK military experience. **J R Army Med Corps.** 2007;153:310–313. [Google Scholar](#)
- [143.](#) Passos E, Dingley B, Smith A, Engels PT, Ball CG, Faidi S, Nathens A, Tien H; Canadian Trauma Trials Collaborative. Tourniquet use for peripheral vascular injuries in the civilian setting. **Injury.** 2014;45:573–577. doi: 10.1016/j.injury.2013.11.031. [Google Scholar](#)
- [144.](#) Kue RC, Temin ES, Weiner SG, Gates J, Coleman MH, Fisher J, Dyer S. Tourniquet use in a civilian emergency medical services setting: a descriptive analysis of the Boston EMS experience. **Prehosp Emerg Care.** 2015;19:399–404. doi: 10.3109/10903127.2014.995842. [Google Scholar](#)
- [145.](#) Ganeshalingam R, O'Connor M. Evidence behind the WHO guidelines: hospital care for children: what is the efficacy of sublingual, oral and intravenous glucose in the treatment of hypoglycaemia? **J Trop Pediatr.** 2009;55:287–289. doi: 10.1093/tropej/fmp099. [Google Scholar](#)
- [146.](#) Graz B, Dicko M, Willcox ML, Lambert B, Falquet J, Forster M, Giani S, Diakite C, Dembele EM, Diallo D, Barennes H. Sublingual sugar for hypoglycaemia in children with severe malaria: a pilot clinical study. **Malar J.** 2008;7:242. doi: 10.1186/1475-2875-7-242. [Google Scholar](#)
- [147.](#) Shrier I, Boissy P, Lebel K, Boulay J, Segal E, Delaney JS, Vacon LC, Steele RJ. Cervical spine motion during transfer and stabilization techniques. **Prehosp Emerg Care.** 2015;19:116–125. doi: 10.3109/10903127.2014.936634. [Google Scholar](#)
- [148.](#) Purvis TA, Carlin B, Driscoll P. The definite risks and questionable benefits of liberal pre-hospital spinal immobilisation. **Am J Emerg Med.** 2017;35:860–866. doi: 10.1016/j.ajem.2017.01.045. [Google Scholar](#)